


<u>•1</u>

Course Objectives


- What are Bloodborne Pathogens?
- Why are they harmful?
- What must I do to protect my workers?
- What is, and how do I write an Exposure Control Plan?

<u>2</u>







<u>•4</u>



<u>•5</u>



<u>•6</u>



<u>•</u>7

Hepatitis B or C Virus Inflammation of the liver Causes liver damage ranging from mild to fatal Can live in a dry environment for at least 7 days

<u>8</u>

HBV -**Hepatitis** B

- Very infectious
 - 1/3 no symptoms, 1/3 flu-like, 1/3 severe
 - 6 to 10% of cases infectious for life (carrier state)
- In the past, 140,000-300,000 new infections per year
 - -5,000-6,000 deaths/yr from chronic liver disease
- Safe and effective vaccine is now available
 - Many HCW are not vaccinated

<u>9</u>

HCV - Hepatitis C

- Affects 4 times more people than HIV
- 4 million Americans infected
- Only 25% of those infected have been diagnosed
- In 1995, estimated 560-1120 cases among HCW in U.S.

10

HCV - Hepatitis C

- 85% of Hepatitis C infections persist for life
- 70% develop chronic liver disease
- Signs and symptoms may not appear until 10 years after infection
- Onset of symptoms may present with severe liver disease
- No broadly effective treatment
- No vaccine available

<u>11</u>

Human Immunodeficiency Virus (HIV)

- Attacks the human immune system
- Can live in a dry environment for only a few hours
- > 1 million infections in U.S.
- 56 documented cases among HCW;
- 138 cases of possible occupational transmission

12

AIDS

- AIDS = Acquired Immunodeficiency Syndrome
- Results from destruction of the human immune system from infection with HIV
- Some have no symptoms, or less severe symptoms
- No vaccine available yet

<u>•13</u>

HBV & HIV Compared		
• HCW cases	400/yr.	HIV 56
• Risk of infection –Needle stick	6-30/100	1/300
 Vaccine available 	Yes	No

<u>14</u>

Exposure Control Plan

- "To eliminate or minimize employee exposure"
- Exposure determination
- Controls
 - -Universal precautions (or equivalent system)
 - -Engineering controls
 - -Work practices
 - -Personal protective equipment
 - -Housekeeping




<u>15</u>


Exposure Control Plan

- Hepatitis B vaccination
- Post exposure evaluation & follow-up
- Communication and training
- Recordkeeping


<u>•16</u>



<u>17</u>



<u>18</u>



<u>•19</u>

Engineering Controls

- Isolate or remove the bloodborne pathogen hazard from the workplace
 - »A physical guard
 - »Barrier
 - »Environmental controls
 - »Other devices

<u>20</u>

Engineering Controls

- Annual evaluation and documentation
- Solicit input from patient care providers
- Implement commercially available, effective and appropriate devices
- Document justifications for not using safer devices

<u>21</u>


Physical Guard

Sharps disposal containers


- Closable
- Puncture resistant
- Leakproof
- Labeled



<u>22</u>



<u>23</u>



<u>24</u>

Other Devices Avoid recapping Use Safer Sharp Devices needleless IV systems retractable syringes and lancets puncture-resistant capillary tubes

<u>25</u>

Work Practice Controls

Safer steps to do the job!

- Prohibit two-handed needle recapping
- Do not bend, break or remove needles (incl. phlebotomy)
- Wash hands between glove use
- Flush body parts with water after contact with blood or OPIM
- Remove PPE before leaving work area

<u>26</u>




<u>27</u>

Personal Protective Equipment PPE Provided at no cost to employee »Gloves »Gowns »Face shields and/or masks »Eye protection »Resuscitation devices »Lab coats

<u>28</u>




<u>29</u>



<u>30</u>



<u>31</u>



<u>32</u>

Hepatitis B Vaccination

- Make Hepatitis B vaccination available
 - » Declination statement required
 - » Available at later date if desired
- No cost to employees
- Reasonable time and place
- If series is interrupted, continue at any time rather than restart series

33

Exposure Incident

Contact with blood or OPIM via:

- Cuts, puncture, needle sticks
- Mucous membrane
- Eye
- Non-intact skin

•34

Post Exposure Evaluation

Employer Responsibility:

- Provide medical evaluation ASAP
 - » Testing for HBV, HCV, HIV
 - » HIV/HBV PEP when indicated
- Identify source individual, if possible
 - » Obtain consent for blood test
- Provide information to healthcare provider
 - » Routes of entry
 - » Employee's job duties
 - » Copy of the regulation



<u>35</u>

Post Exposure Evaluation

- Insure that the healthcare provider provides to exposed employee:
 - » Results of the source individuals test (if legal)
 - » Results of exposed employee's test
 - » Post exposure treatment as needed
- Provided at no cost to employee

•36

Medical Evaluation and Follow-up

Healthcare Provider's Responsibility:

- Provide in writing to employer:
 - » Employee has been informed of the results
 - »Employee has been informed of any medical conditions resulting from exposure
- All specific findings or diagnoses are confidential to employee

<u>37</u>

Communication • Signs and labels » Regulated waste » Containers with blood or OPIM » Laundry » Biohazard symbol

•38



<u>39</u>



<u>40</u>



<u>41</u>


Sharps Log Maintain a separate sharps injury log Document sharps injuries on the OSHA 300 Recorded as confidentiality case Must contain: Type and brand of device involved Department or work area where exposure occurred An explanation of how the incident occurred

<u>42</u>

Plan Evaluation Review and/or update annually Whenever necessary to reflect changes that affect occupational exposure, including improved

<u>43</u>

safety devices



_